



**FULL LINER**  
RTH/TH/HTH





2013 - 2023  
CELEBRATING  
10<sup>TH</sup> ANNIVERSARY

## **Innovation, craftsmanship and cutting-edge technology.**

The know-how gained over time and the constant search for innovation and technology are completely resembeld in the RTH, TH and HTH product ranges. From rotating telehandlers to fixed boom and heavy-duty telehandlers, Magni focuses, since 2013, on customer's needs of reliability and performance. Crucial for us, are the attention in the R&D phase, as well as the careful selection of raw materials and the dedication and precision of our production lines employees.

**#THEFUTUREISRED**



# RTH

This range is the result of years of experience and research in the field of rotating telescopic handlers. These machines are built to adapt to any worksite and operate in maximum safety, guaranteeing the best lifting performance under any conditions.





RTH  
**5.18**

📊 4,999 kg  
⬆️ 17.40 m

Deutz 55,4 kW (75,3 hp) @ 2,200 rpm



RTH  
**5.21**

📊 4,999 kg  
⬆️ 20.50 m

Deutz 100 kW (136 hp) @ 2,200 rpm



RTH  
**5.23**

📊 4,999 kg  
⬆️ 22.80 m

Deutz 100 kW (136 hp) @ 2,200 rpm



RTH  
**5.25**

📊 4,999 kg  
⬆️ 24.60 m

Deutz 100 kW (136 hp) @ 2,200 rpm



RTH  
**6.22**

📊 6,000 kg  
⬆️ 22.00 m

Deutz 100 kW (136 hp) @ 2,200 rpm



RTH  
**6.26**

📊 6,000 kg  
⬆️ 25.80 m

Deutz 100 kW (136 hp) @ 2,200 rpm



RTH  
**6.31**

📊 6,000 kg  
⬆️ 30.80 m

Volvo 160 kW (218 hp) @ 2,300 rpm



RTH  
**6.35**

📊 6,000 kg  
⬆️ 34.90 m

Volvo 175 kW (238 hp) @ 2,300 rpm



RTH  
**6.39**

📊 6,000 kg  
⬆️ 38.90 m

Volvo 175 kW (238 hp) @ 2,300 rpm



RTH  
**6.46**

📊 6,000 kg  
⬆️ 45.60 m

Volvo 175 kW (238 hp) @ 2,300 rpm



RTH  
**6.51**

📊 6,000 kg  
⬆️ 51.00 m

Volvo 175 kW (238 hp) @ 2,300 rpm



RTH  
**8.27**

📊 8,000 kg  
⬆️ 26.60 m

Volvo 160 kW (218 hp) @ 2,300 rpm



RTH  
**10.37**

📊 10,300 kg  
⬆️ 36.70 m



RTH  
**13.26**

📊 13,000 kg  
⬆️ 26.20 m



Volvo 175 kW (238 hp) @ 2,300 rpm

Volvo 175 kW (238 hp) @ 2,300 rpm

*Values refer to maximum height and maximum lifting capacity*





A large, dark brown soil bucket is suspended in the air, having just been dumped from a telescopic handler. The soil is falling in a thick stream, creating a large splash of dirt and debris. The background shows a clear blue sky with some light clouds, and a line of green trees in the distance. The foreground is a dirt path or field. The overall scene is dynamic and captures a moment of heavy construction or agricultural work.

# TH

This range of telescopic handlers for construction and light industry is designed to ensure maximum performance in every situation.

Their compact size is ideal for tight working spaces, guaranteeing maximum manoeuvrability in any location.

TH  
**4,5.15**

📊 4,500 kg  
⬆️ 15.20 m



Deutz 55,4 kW (75,3 hp) @ 2,200 rpm

TH  
**4,5.15 P**

📊 4,500 kg  
⬆️ 15.20 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**4,5.19**

📊 4,500 kg  
⬆️ 18.80 m



Deutz 55,4 kW (75,3 hp) @ 2,200 rpm

TH  
**4,5.19 P**

📊 4,500 kg  
⬆️ 18.80 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**5.8 P**

📊 5,000 kg  
⬆️ 7.60 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**5,5.15**

📊 5,500 kg  
⬆️ 15.20 m



Deutz 55,4 kW (75,3 hp) @ 2,200 rpm

TH  
**5,5.15 P**

📊 5,500 kg  
⬆️ 15.20 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**5,5.19**


📊 5,500 kg  
⬆️ 18.80 m



Deutz 55,4 kW (75,3 hp) @ 2,200 rpm

TH  
**5,5.19 P**

📊 5,500 kg  
⬆️ 18.80 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**5,5.24**

📊 5,500 kg  
⬆️ 23.90 m



Deutz 100 kW (136 hp) @ 2,200 rpm

TH  
**6.10**

📊 6,000 kg  
⬆️ 9.70 m



Deutz 55,4 kW (75,3 hp) @ 2,200 rpm

TH  
**6.10 P**

📊 6,000 kg  
⬆️ 9.70 m



Deutz 74,4 kW (101,2 hp) @ 2,200 rpm

TH  
**6.20**

📦 6,000 kg  
⬆️ 19.20 m



TH

Deutz 100 kW (136 hp) @ 2,200 rpm

*Values refer to maximum height and maximum lifting capacity*





MAGNI

MAGNI

HTH30.12





# HTH

The duty telehandler HTH take on onerous tasks and become the ideal companion for those requiring performance and reliability in extreme conditions. They are undisputed champions in heavy-duty work.

HTH  
**10.10**

📊 10,000 kg  
⬆️ 9.50 m



Deutz 100 kW (136 hp) @ 2,200 rpm

HTH  
**16.10**

📊 16,000 kg  
⬆️ 9.70 m



Volvo 160 kW (218 hp) @ 2,200 rpm

HTH  
**20.10**

📊 20,000 kg  
⬆️ 9.70 m



Volvo 160 kW (218 hp) @ 2,200 rpm

HTH  
**24.11**

📊 24,000 kg  
⬆️ 10.50 m



Volvo 175 kW (238 hp) @ 2,300 rpm

HTH  
**27.11**

📊 27,000 kg  
⬆️ 10.90 m



Volvo 175 kW (238 hp) @ 2,300 rpm

HTH  
**30.12**

📊 30,000 kg  
⬆️ 11.40 m



Volvo 235 kW (320 hp) @ 2,200 rpm

HTH  
**35.12**

📊 35,000 kg  
⬆️ 11.40 m



Volvo 250 kW (340 hp) @ 2,200 rpm

HTH  
**50.14**

📊 50,000 kg  
⬆️ 14.00 m



Volvo 235 kW (320 hp) @ 2,200 rpm

[www.magnith.com](http://www.magnith.com)



All Pictures shown are for illustration purpose only. Actual product may vary